

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0500	KGC02502507520	Koudgewalst C profiel 25x25x7,5x2 mm	S235JR EN10025-2/EN10162	7000	1,26 kg/m	-		100 kg
0500	KGC03001508020	Koudgewalst C profiel 30x15x8x2 mm	S235JR EN10025-2/EN10162	7000	1,04 kg/m	-		100 kg
0500	KGC03003008520	Koudgewalst C profiel 30x30x8,5x2 mm	S235JR EN10025-2/EN10162	7000	1,54 kg/m	-		100 kg
0500	KGC03003010020	Koudgewalst C profiel 30x30x10x2 mm	S235JR EN10025-2/EN10162	7000	1,58 kg/m	-		100 kg
0500	KGC08004016020	Koudgewalst C profiel 80x40x16x2 mm	S235JR EN10025-2/EN10162	6000	2,9 kg/m	-		100 kg
0500	KGC08004016030	Koudgewalst C profiel 80x40x16x3 mm	S235JR EN10025-2/EN10162	6000	4,21 kg/m	-		100 kg
								-
0500	KGH01501515	Koudgewalst hoekprofiel 15x15x1,5 mm	S235JR EN10025-2/EN10162	6000	0,34 kg/m	-		100 kg
0500	KGH02002020	Koudgewalst hoekprofiel 20x20x2 mm	S235JR EN10025-2/EN10162	6000	0,6 kg/m	-		100 kg
0500	KGH02002020	Koudgewalst hoekprofiel 20x20x2 mm	S235JR EN10025-2/EN10162	7000	0,6 kg/m	-		100 kg
0500	KGH02502503	Koudgewalst hoekprofiel 25x25x3 mm	S235JR EN10025-2/EN10162	6000	1,1 kg/m	-		100 kg
0500	KGH02502520	Koudgewalst hoekprofiel 25x25x2 mm	S235JR EN10025-2/EN10162	6000	0,76 kg/m	-		100 kg
0500	KGH02502520	Koudgewalst hoekprofiel 25x25x2 mm	S235JR EN10025-2/EN10162	7000	0,76 kg/m	-		100 kg
0500	KGH02502530	Koudgewalst hoekprofiel 25x25x3 mm	S235JR EN10025-2/EN10162	7000	1,1 kg/m	-		100 kg
0500	KGH03003020	Koudgewalst hoekprofiel 30x30x2 mm	S235JR EN10025-2/EN10162	6000	0,92 kg/m	-		100 kg
0500	KGH03003020	Koudgewalst hoekprofiel 30x30x2 mm	S235JR EN10025-2/EN10162	7000	0,92 kg/m	-		100 kg
0500	KGH03003030	Koudgewalst hoekprofiel 30x30x3 mm	S235JR EN10025-2/EN10162	7000	1,34 kg/m	-		100 kg
0500	KGH04003030	Koudgewalst hoekprofiel 40x30x3 mm	S235JR EN10025-2/EN10162	7000	1,58 kg/m	-		100 kg
0500	KGH04004020	Koudgewalst hoekprofiel 40x40x2 mm	S235JR EN10025-2/EN10162	7000	1,24 kg/m	-		100 kg
0500	KGH04004030	Koudgewalst hoekprofiel 40x40x3 mm	S235JR EN10025-2/EN10162	7000	1,82 kg/m	-		100 kg
0500	KGH05002530	Koudgewalst hoekprofiel 50x25x3 mm	S235JR EN10025-2/EN10162	7000	1,7 kg/m	-		100 kg
0500	KGH05005030	Koudgewalst hoekprofiel 50x50x3 mm	S235JR EN10025-2/EN10162	7000	2,3 kg/m	-		100 kg
0500	KGH05005040	Koudgewalst hoekprofiel 50x50x4 mm	S235JR EN10025-2/EN10162	7000	3,03 kg/m	-		100 kg
0500	KGH06004030	Koudgewalst hoekprofiel 60x40x3 mm	S235JR EN10025-2/EN10162	6000	2,3 kg/m	-		100 kg
0500	KGH06004030	Koudgewalst hoekprofiel 60x40x3 mm	S235JR EN10025-2/EN10162	7000	2,3 kg/m	-		100 kg
0500	KGH06004040	Koudgewalst hoekprofiel 60x40x4 mm	S235JR EN10025-2/EN10162	7000	3,03 kg/m	-		100 kg
0500	KGH06006030	Koudgewalst hoekprofiel 60x60x3 mm	S235JR EN10025-2/EN10162	7000	2,78 kg/m	-		100 kg
0500	KGH06006040	Koudgewalst hoekprofiel 60x60x4 mm	S235JR EN10025-2/EN10162	7000	3,67 kg/m	-		100 kg
0500	KGH08004030	Koudgewalst hoekprofiel 80x40x3 mm	S235JR EN10025-2/EN10162	6000	2,78 kg/m	-		100 kg
0500	KGH08004030	Koudgewalst hoekprofiel 80x40x3 mm	S235JR EN10025-2/EN10162	7000	2,78 kg/m	-		100 kg
0500	KGH08005030	Koudgewalst hoekprofiel 80x50x3 mm	S235JR EN10025-2/EN10162	6000	3,02 kg/m	-		100 kg
0500	KGH08005030	Koudgewalst hoekprofiel 80x50x3 mm	S235JR EN10025-2/EN10162	7000	3,02 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh. Gew	Prijs	Eenheid
0500	KGH08005040	Koudgewalst hoekprofiel 80x50x4 mm	S235JR EN10025-2/EN10162	6000	3,99 kg/m	-	-	100 kg
0500	KGH08005040	Koudgewalst hoekprofiel 80x50x4 mm	S235JR EN10025-2/EN10162	7000	3,99 kg/m	-	-	100 kg
0500	KGH10010050	Koudgewalst hoekprofiel 100x100x5 mm	S235JR EN10025-2/EN10162	7000	7,72 kg/m	-	-	100 kg
0500	KGH12001050	Koudgewalst hoekprofiel 120x100x5 mm	S235JR EN10025-2/EN10162	7000	8,52 kg/m	-	-	100 kg
0500	KGR50301463	Koudgewalst railprofiel 50x30x14x6x3 mm	S235JR EN10025-2/EN10162	6000	3 kg/m	-	-	100 kg
0500	KGU01501515	Koudgewalst U profiel 15x15x1,5 mm	S235JR EN10025-2/EN10162	7000	0,49 kg/m	-	-	100 kg
0500	KGU01501520	Koudgewalst U profiel 15x15x2,0 mm	S235JR EN10025-2/EN10162	7000	0,64 kg/m	-	-	100 kg
0500	KGU01502520	Koudgewalst U profiel 15x25x2,0 mm	S235JR EN10025-2/EN10162	6000	0,96 kg/m	-	-	100 kg
0500	KGU01801815	Koudgewalst U profiel 18x18x1,5 mm	S235JR EN10025-2/EN10162	6000	0,6 kg/m	-	-	100 kg
0500	KGU01801820	Koudgewalst U profiel 18x18x2,0 mm	S235JR EN10025-2/EN10162	6000	0,78 kg/m	-	-	100 kg
0500	KGU02001520	Koudgewalst U profiel 20x15x2,0 mm	S235JR EN10025-2/EN10162	6000	0,72 kg/m	-	-	100 kg
0500	KGU02002020	Koudgewalst U profiel 20x20x2,0 mm	S235JR EN10025-2/EN10162	7000	0,88 kg/m	-	-	100 kg
0500	KGU02003020	Koudgewalst U profiel 20x30x2,0 mm	S235JR EN10025-2/EN10162	7000	1,2 kg/m	-	-	100 kg
0500	KGU02004020	Koudgewalst U profiel 20x40x2,0 mm	S235JR EN10025-2/EN10162	7000	1,51 kg/m	-	-	100 kg
0500	KGU02004030	Koudgewalst U profiel 20x40x3,0 mm	S235JR EN10025-2/EN10162	7000	1,72 kg/m	-	-	100 kg
0500	KGU02202220	Koudgewalst U profiel 22x22x2,0 mm	S235JR EN10025-2/EN10162	6000	0,97 kg/m	-	-	100 kg
0500	KGU02202220	Koudgewalst U profiel 22x22x2,0 mm	S235JR EN10025-2/EN10162	7000	0,97 kg/m	-	-	100 kg
0500	KGU02502520	Koudgewalst U profiel 25x25x2,0 mm	S235JR EN10025-2/EN10162	6000	1,12 kg/m	-	-	100 kg
0500	KGU02502520	Koudgewalst U profiel 25x25x2,0 mm	S235JR EN10025-2/EN10162	7000	1,12 kg/m	-	-	100 kg
0500	KGU02502530	Koudgewalst U profiel 25x25x3,0 mm	S235JR EN10025-2/EN10162	7000	1,6 kg/m	-	-	100 kg
0500	KGU03002030	Koudgewalst U profiel 30x20x3,0 mm	S235JR EN10025-2/EN10162	6000	1,48 kg/m	-	-	100 kg
0500	KGU03003020	Koudgewalst U profiel 30x30x2,0 mm	S235JR EN10025-2/EN10162	6000	1,36 kg/m	-	-	100 kg
0500	KGU03003020	Koudgewalst U profiel 30x30x2,0 mm	S235JR EN10025-2/EN10162	7000	1,36 kg/m	-	-	100 kg
0500	KGU03003030	Koudgewalst U profiel 30x30x3,0 mm	S235JR EN10025-2/EN10162	7000	1,96 kg/m	-	-	100 kg
0500	KGU03004030	Koudgewalst U profiel 30x40x3,0 mm	S235JR EN10025-2/EN10162	6000	2,44 kg/m	-	-	100 kg
0500	KGU03005030	Koudgewalst U profiel 30x50x3,0 mm	S235JR EN10025-2/EN10162	7000	2,92 kg/m	-	-	100 kg
0500	KGU03503520	Koudgewalst U profiel 35x35x2,0 mm	S235JR EN10025-2/EN10162	6000	1,53 kg/m	-	-	100 kg
0500	KGU03503530	Koudgewalst U profiel 35x35x3,0 mm	S235JR EN10025-2/EN10162	6000	2,32 kg/m	-	-	100 kg
0500	KGU03601220	Koudgewalst U profiel 36x12x2,0 mm	S235JR EN10025-2/EN10162	6000	0,87 kg/m	-	-	100 kg
0500	KGU03603620	Koudgewalst U profiel 36x36x2,0 mm	S235JR EN10025-2/EN10162	6000	1,64 kg/m	-	-	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh. Gew	Prijs	Eenheid
0500	KGU03705030	Koudgewalst U profiel 37x50x3,0 mm	S235JR EN10025-2/EN10162	6000	3,09	kg/m	-	100 kg
0500	KGU04001520	Koudgewalst U profiel 40x15x2,0 mm	S235JR EN10025-2/EN10162	6000	1,04	kg/m	-	100 kg
0500	KGU04002030	Koudgewalst U profiel 40x20x3,0 mm	S235JR EN10025-2/EN10162	6000	1,72	kg/m	-	100 kg
0500	KGU04002530	Koudgewalst U profiel 40x25x3,0 mm	S235JR EN10025-2/EN10162	6000	1,96	kg/m	-	100 kg
0500	KGU04003030	Koudgewalst U profiel 40x30x3,0 mm	S235JR EN10025-2/EN10162	7000	2,2	kg/m	-	100 kg
0500	KGU04004020	Koudgewalst U profiel 40x40x2,0 mm	S235JR EN10025-2/EN10162	6000	1,84	kg/m	-	100 kg
0500	KGU04004020	Koudgewalst U profiel 40x40x2,0 mm	S235JR EN10025-2/EN10162	7000	1,84	kg/m	-	100 kg
0500	KGU04004030	Koudgewalst U profiel 40x40x3,0 mm	S235JR EN10025-2/EN10162	7000	2,68	kg/m	-	100 kg
0500	KGU04004040	Koudgewalst U profiel 40x40x4,0 mm	S235JR EN10025-2/EN10162	7000	3,49	kg/m	-	100 kg
0500	KGU04504530	Koudgewalst U profiel 45x45x3,0 mm	S235JR EN10025-2/EN10162	7000	3,1	kg/m	-	100 kg
0500	KGU05002530	Koudgewalst U profiel 50x25x3,0 mm	S235JR EN10025-2/EN10162	7000	2,2	kg/m	-	100 kg
0500	KGU05003020	Koudgewalst U profiel 50x30x2,0 mm	S235JR EN10025-2/EN10162	6000	1,67	kg/m	-	100 kg
0500	KGU05003030	Koudgewalst U profiel 50x30x3,0 mm	S235JR EN10025-2/EN10162	7000	2,44	kg/m	-	100 kg
0500	KGU05005020	Koudgewalst U profiel 50x50x2,0 mm	S235JR EN10025-2/EN10162	6000	2,32	kg/m	-	100 kg
0500	KGU05005030	Koudgewalst U profiel 50x50x3,0 mm	S235JR EN10025-2/EN10162	7000	3,4	kg/m	-	100 kg
0500	KGU05005040	Koudgewalst U profiel 50x50x4,0 mm	S235JR EN10025-2/EN10162	6000	4,45	kg/m	-	100 kg
0500	KGU05005040	Koudgewalst U profiel 50x50x4,0 mm	S235JR EN10025-2/EN10162	7000	4,45	kg/m	-	100 kg
0500	KGU05007040	Koudgewalst U profiel 50x70x4,0 mm	S235JR EN10025-2/EN10162	6000	5,73	kg/m	-	100 kg
0500	KGU06003030	Koudgewalst U profiel 60x30x3,0 mm	S235JR EN10025-2/EN10162	7000	2,68	kg/m	-	100 kg
0500	KGU06003040	Koudgewalst U profiel 60x30x4,0 mm	S235JR EN10025-2/EN10162	7000	3,49	kg/m	-	100 kg
0500	KGU06004030	Koudgewalst U profiel 60x40x3,0 mm	S235JR EN10025-2/EN10162	7000	3,16	kg/m	-	100 kg
0500	KGU06004040	Koudgewalst U profiel 60x40x4,0 mm	S235JR EN10025-2/EN10162	7000	4,13	kg/m	-	100 kg
0500	KGU06006040	Koudgewalst U profiel 60x60x4,0 mm	S235JR EN10025-2/EN10162	6000	5,41	kg/m	-	100 kg
0500	KGU06006040	Koudgewalst U profiel 60x60x4,0 mm	S235JR EN10025-2/EN10162	7000	5,41	kg/m	-	100 kg
0500	KGU06006050	Koudgewalst U profiel 60x60x5,0 mm	S235JR EN10025-2/EN10162	6000	6,81	kg/m	-	100 kg
0500	KGU06006050	Koudgewalst U profiel 60x60x5,0 mm	S235JR EN10025-2/EN10162	7000	6,81	kg/m	-	100 kg
0500	KGU06504050	Koudgewalst U profiel 65x40x5,0 mm	S235JR EN10025-2/EN10162	6000	5,24	kg/m	-	100 kg
0500	KGU06504250	Koudgewalst U profiel 65x42x5,0 mm	S235JR EN10025-2/EN10162	6000	5,48	kg/m	-	100 kg
0500	KGU07003530	Koudgewalst U profiel 70x35x3,0 mm	S235JR EN10025-2/EN10162	6000	3,16	kg/m	-	100 kg
0500	KGU07004030	Koudgewalst U profiel 70x40x3,0 mm	S235JR EN10025-2/EN10162	7000	3,4	kg/m	-	100 kg
0500	KGU07005040	Koudgewalst U profiel 70x50x4,0 mm	S235JR EN10025-2/EN10162	7000	5,09	kg/m	-	100 kg
0500	KGU08003030	Koudgewalst U profiel 80x30x3,0 mm	S235JR EN10025-2/EN10162	7000	3,16	kg/m	-	100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0500	KGU08004030	Koudgewalst U profiel 80x40x3,0 mm	S235JR EN10025-2/EN10162	7000	3,64 kg/m	-		100 kg
0500	KGU08004040	Koudgewalst U profiel 80x40x4,0 mm	S235JR EN10025-2/EN10162	6000	4,77 kg/m	-		100 kg
0500	KGU08004040	Koudgewalst U profiel 80x40x4,0 mm	S235JR EN10025-2/EN10162	7000	4,77 kg/m	-		100 kg
0500	KGU08004530	Koudgewalst U profiel 80x45x3,0 mm	S235JR EN10025-2/EN10162	6000	3,88 kg/m	-		100 kg
0500	KGU08005030	Koudgewalst U profiel 80x50x3,0 mm	S235JR EN10025-2/EN10162	7000	4,12 kg/m	-		100 kg
0500	KGU08005040	Koudgewalst U profiel 80x50x4,0 mm	S235JR EN10025-2/EN10162	7000	5,41 kg/m	-		100 kg
0500	KGU08005050	Koudgewalst U profiel 80x50x5,0 mm	S235JR EN10025-2/EN10162	7000	6,64 kg/m	-		100 kg
0500	KGU08005060	Koudgewalst U profiel 80x50x6,0 mm	S235JR EN10025-2/EN10162	7000	7,84 kg/m	-		100 kg
0500	KGU08006060	Koudgewalst U profiel 80x60x6,0 mm	S235JR EN10025-2/EN10162	6000	8,8 kg/m	-		100 kg
0500	KGU09004030	Koudgewalst U profiel 90x40x3,0 mm	S235JR EN10025-2/EN10162	7000	3,88 kg/m	-		100 kg
0500	KGU09004040	Koudgewalst U profiel 90x40x4,0 mm	S235JR EN10025-2/EN10162	7000	5,08 kg/m	-		100 kg
0500	KGU10004040	Koudgewalst U profiel 100x40x4,0 mm	S235JR EN10025-2/EN10162	7000	5,41 kg/m	-		100 kg
0500	KGU10004050	Koudgewalst U profiel 100x40x5,0 mm	S235JR EN10025-2/EN10162	6000	6,64 kg/m	-		100 kg
0500	KGU10005030	Koudgewalst U profiel 100x50x3,0 mm	S235JR EN10025-2/EN10162	7000	4,6 kg/m	-		100 kg
0500	KGU10005040	Koudgewalst U profiel 100x50x4,0 mm	S235JR EN10025-2/EN10162	7000	6,05 kg/m	-		100 kg
0500	KGU10005050	Koudgewalst U profiel 100x50x5,0 mm	S235JR EN10025-2/EN10162	7000	7,44 kg/m	-		100 kg
0500	KGU11005050	Koudgewalst U profiel 110x50x5,0 mm	S235JR EN10025-2/EN10162	7000	7,84 kg/m	-		100 kg
0500	KGU12005030	Koudgewalst U profiel 120x50x3,0 mm	S235JR EN10025-2/EN10162	7000	5,08 kg/m	-		100 kg
0500	KGU12005040	Koudgewalst U profiel 120x50x4,0 mm	S235JR EN10025-2/EN10162	7000	6,69 kg/m	-		100 kg
0500	KGU12006040	Koudgewalst U profiel 120x60x4,0 mm	S235JR EN10025-2/EN10162	7000	7,33 kg/m	-		100 kg
0500	KGU12006050	Koudgewalst U profiel 120x60x5,0 mm	S235JR EN10025-2/EN10162	6000	9,04 kg/m	-		100 kg
0500	KGU12006050	Koudgewalst U profiel 120x60x5,0 mm	S235JR EN10025-2/EN10162	7000	9,04 kg/m	-		100 kg
0500	KGU12006060	Koudgewalst U profiel 120x60x6,0 mm	S235JR EN10025-2/EN10162	7000	10,72 kg/m	-		100 kg
0500	KGU13304130	Koudgewalst U profiel 133x41x3,0 mm	S235JR EN10025-2/EN10162	7000	4,72 kg/m	-		100 kg
0500	KGU14004030	Koudgewalst U profiel 140x40x3,0 mm	S235JR EN10025-2/EN10162	7000	5,08 kg/m	-		100 kg
0500	KGU14005040	Koudgewalst U profiel 140x50x4,0 mm	S235JR EN10025-2/EN10162	7000	7,33 kg/m	-		100 kg
0500	KGU15005030	Koudgewalst U profiel 150x50x3,0 mm	S235JR EN10025-2/EN10162	7000	5,8 kg/m	-		100 kg
0500	KGU16005040	Koudgewalst U profiel 160x50x4,0 mm	S235JR EN10025-2/EN10162	7000	7,97 kg/m	-		100 kg
0500	KGU16007040	Koudgewalst U profiel 160x70x4,0 mm	S235JR EN10025-2/EN10162	7000	9,25 kg/m	-		100 kg
0500	KGU18005040	Koudgewalst U profiel 180x50x4,0 mm	S235JR EN10025-2/EN10162	7000	8,61 kg/m	-		100 kg
0500	KGU18006050	Koudgewalst U profiel 180x60x5,0 mm	S235JR EN10025-2/EN10162	7000	11,44 kg/m	-		100 kg
0500	KGU20006040	Koudgewalst U profiel 200x60x4,0 mm	S235JR EN10025-2/EN10162	7000	9,89 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Eenh. Gew	Prijs	Eenheid
0500	KGU22008050	Koudgewalst U profiel 220x80x5,0 mm	S235JR EN10025-2/EN10162	7000	14,64 kg/m	-		100 kg