

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLH01201202	Blank hoek h11 12x12x2 mm	S235JRC+C EN10277-2/DIN59370	3000	0,35 kg/m	-		100 kg
0600	BLH01501502	Blank hoek h11 15x15x2 mm	S235JRC+C EN10277-2/DIN59370	3000	0,47 kg/m	-		100 kg
0600	BLH01501503	Blank hoek h11 15x15x3 mm	S235JRC+C EN10277-2/DIN59370	3000	0,64 kg/m	-		100 kg
0600	BLH02001503	Blank hoek h11 20x15x3 mm	S235JRC+C EN10277-2/DIN59370	3000	0,8 kg/m	-		100 kg
0600	BLH02002002	Blank hoek h11 20x20x2 mm	S235JRC+C EN10277-2/DIN59370	3000	0,6 kg/m	-		100 kg
0600	BLH02002003	Blank hoek h11 20x20x3 mm	S235JRC+C EN10277-2/DIN59370	3000	0,9 kg/m	-		100 kg
0600	BLH02002004	Blank hoek h11 20x20x4 mm	S235JRC+C EN10277-2/DIN59370	3000	1,13 kg/m	-		100 kg
0600	BLH02501503	Blank hoek h11 25x15x3 mm	S235JRC+C EN10277-2/DIN59370	3000	0,87 kg/m	-		100 kg
0600	BLH02502503	Blank hoek h11 25x25x3 mm	S235JRC+C EN10277-2/DIN59370	3000	1,14 kg/m	-		100 kg
0600	BLH02502504	Blank hoek h11 25x25x4 mm	S235JRC+C EN10277-2/DIN59370	3000	1,49 kg/m	-		100 kg
0600	BLH02502505	Blank hoek h11 25x25x5 mm	S235JRC+C EN10277-2/DIN59370	3000	1,81 kg/m	-		100 kg
0600	BLH03002003	Blank hoek h11 30x20x3 mm	S235JRC+C EN10277-2/DIN59370	3000	1,14 kg/m	-		100 kg
0600	BLH03003003	Blank hoek h11 30x30x3 mm	S235JRC+C EN10277-2/DIN59370	3000	1,34 kg/m	-		100 kg
0600	BLH03003004	Blank hoek h11 30x30x4 mm	S235JRC+C EN10277-2/DIN59370	3000	1,88 kg/m	-		100 kg
0600	BLH03003005	Blank hoek h11 30x30x5 mm	S235JRC+C EN10277-2/DIN59370	3000	2,22 kg/m	-		100 kg
0600	BLH03503504	Blank hoek h11 35x35x4 mm	S235JRC+C EN10277-2/DIN59370	3000	2,07 kg/m	-		100 kg
0600	BLH04002003	Blank hoek h11 40x20x3 mm	S235JRC+C EN10277-2/DIN59370	3000	1,34 kg/m	-		100 kg
0600	BLH04002005	Blank hoek h11 40x20x5 mm	S235JRC+C EN10277-2/DIN59370	3000	2,16 kg/m	-		100 kg
0600	BLH04004004	Blank hoek h11 40x40x4 mm	S235JRC+C EN10277-2/DIN59370	3000	2,47 kg/m	-		100 kg
0600	BLH04004005	Blank hoek h11 40x40x5 mm	S235JRC+C EN10277-2/DIN59370	3000	2,94 kg/m	-		100 kg
0600	BLH04503005	Blank hoek h11 45x30x5 mm	S235JRC+C EN10277-2/DIN59370	3000	2,81 kg/m	-		100 kg
0600	BLH05005005	Blank hoek h11 50x50x5 mm	S235JRC+C EN10277-2/DIN59370	3000	3,84 kg/m	-		100 kg
0600	BLH06003005	Blank hoek h11 60x30x5 mm	S235JRC+C EN10277-2/DIN59370	3000	3,34 kg/m	-		100 kg
0600	BLH06004005	Blank hoek h11 60x40x5 mm	S235JRC+C EN10277-2/DIN59370	3000	3,73 kg/m	-		100 kg
0600	BLH06006006	Blank hoek h11 60x60x6 mm	S235JRC+C EN10277-2/DIN59370	3000	5,37 kg/m	-		100 kg
0600	BLH08004006	Blank hoek h11 80x40x6 mm	S235JRC+C EN10277-2/DIN59370	3000	5,7 kg/m	-		100 kg
0600	BLH08008008	Blank hoek h11 80x80x8 mm	S235JRC+C EN10277-2/DIN59370	3000	9,85 kg/m	-		100 kg
								-
0600	BLP00803	Blank plat h11 8x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,2 kg/m	-		100 kg
0600	BLP00804	Blank plat h11 8x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,25 kg/m	-		100 kg
0600	BLP01002	Blank plat h11 10x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,16 kg/m	-		100 kg
0600	BLP01004	Blank plat h11 10x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,31 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP01005	Blank plat h11 10x5 mm	S235JRC+C EN10277-2/EN10278	3000	0,39 kg/m	-		100 kg
0600	BLP01006	Blank plat h11 10x6 mm	S235JRC+C EN10277-2/EN10278	3000	0,5 kg/m	-		100 kg
0600	BLP01008	Blank plat h11 10x8 mm	S235JRC+C EN10277-2/EN10278	3000	0,54 kg/m	-		100 kg
0600	BLP01203	Blank plat h11 12x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,29 kg/m	-		100 kg
0600	BLP01204	Blank plat h11 12x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,38 kg/m	-		100 kg
0600	BLP01205	Blank plat h11 12x5 mm	S235JRC+C EN10277-2/EN10278	3000	0,48 kg/m	-		100 kg
0600	BLP01206	Blank plat h11 12x6 mm	S235JRC+C EN10277-2/EN10278	3000	0,58 kg/m	-		100 kg
0600	BLP01208	Blank plat h11 12x8 mm	S235JRC+C EN10277-2/EN10278	3000	0,75 kg/m	-		100 kg
0600	BLP01210	Blank plat h11 12x10 mm	S235JRC+C EN10277-2/EN10278	3000	0,94 kg/m	-		100 kg
0600	BLP01502	Blank plat h11 15x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,24 kg/m	-		100 kg
0600	BLP01503	Blank plat h11 15x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,36 kg/m	-		100 kg
0600	BLP01504	Blank plat h11 15x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,48 kg/m	-		100 kg
0600	BLP01505	Blank plat h11 15x5 mm	S235JRC+C EN10277-2/EN10278	3000	0,6 kg/m	-		100 kg
0600	BLP01506	Blank plat h11 15x6 mm	S235JRC+C EN10277-2/EN10278	3000	0,72 kg/m	-		100 kg
0600	BLP01508	Blank plat h11 15x8 mm	S235JRC+C EN10277-2/EN10278	3000	0,94 kg/m	-		100 kg
0600	BLP01510	Blank plat h11 15x10 mm	S235JRC+C EN10277-2/EN10278	3000	1,18 kg/m	-		100 kg
0600	BLP01603	Blank plat h11 16x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,39 kg/m	-		100 kg
0600	BLP01604	Blank plat h11 16x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,51 kg/m	-		100 kg
0600	BLP01605	Blank plat h11 16x5 mm	S235JRC+C EN10277-2/EN10278	3000	0,64 kg/m	-		100 kg
0600	BLP01606	Blank plat h11 16x6 mm	S235JRC+C EN10277-2/EN10278	3000	0,77 kg/m	-		100 kg
0600	BLP01610	Blank plat h11 16x10 mm	S235JRC+C EN10277-2/EN10278	3000	1,28 kg/m	-		100 kg
0600	BLP01803	Blank plat h11 18x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,45 kg/m	-		100 kg
0600	BLP02002	Blank plat h11 20x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,32 kg/m	-		100 kg
0600	BLP02003	Blank plat h11 20x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,48 kg/m	-		100 kg
0600	BLP02004	Blank plat h11 20x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,64 kg/m	-		100 kg
0600	BLP02005	Blank plat h11 20x5 mm	S235JRC+C EN10277-2/EN10278	3000	0,8 kg/m	-		100 kg
0600	BLP02006	Blank plat h11 20x6 mm	S235JRC+C EN10277-2/EN10278	3000	0,96 kg/m	-		100 kg
0600	BLP02008	Blank plat h11 20x8 mm	S235JRC+C EN10277-2/EN10278	3000	1,28 kg/m	-		100 kg
0600	BLP02010	Blank plat h11 20x10 mm	S235JRC+C EN10277-2/EN10278	3000	1,6 kg/m	-		100 kg
0600	BLP02012	Blank plat h11 20x12 mm	S235JRC+C EN10277-2/EN10278	3000	1,92 kg/m	-		100 kg
0600	BLP02015	Blank plat h11 20x15 mm	S235JRC+C EN10277-2/EN10278	3000	2,41 kg/m	-		100 kg
0600	BLP02502	Blank plat h11 25x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,4 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP02503	Blank plat h11 25x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,6 kg/m	-		100 kg
0600	BLP02504	Blank plat h11 25x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,8 kg/m	-		100 kg
0600	BLP02505	Blank plat h11 25x5 mm	S235JRC+C EN10277-2/EN10278	3000	1 kg/m	-		100 kg
0600	BLP02506	Blank plat h11 25x6 mm	S235JRC+C EN10277-2/EN10278	3000	1,2 kg/m	-		100 kg
0600	BLP02508	Blank plat h11 25x8 mm	S235JRC+C EN10277-2/EN10278	3000	1,6 kg/m	-		100 kg
0600	BLP02510	Blank plat h11 25x10 mm	S235JRC+C EN10277-2/EN10278	3000	2 kg/m	-		100 kg
0600	BLP02512	Blank plat h11 25x12 mm	S235JRC+C EN10277-2/EN10278	3000	2,41 kg/m	-		100 kg
0600	BLP02515	Blank plat h11 25x15 mm	S235JRC+C EN10277-2/EN10278	3000	3 kg/m	-		100 kg
0600	BLP02516	Blank plat h11 25x16 mm	S235JRC+C EN10277-2/EN10278	3000	3,14 kg/m	-		100 kg
0600	BLP02520	Blank plat h11 25x20 mm	S235JRC+C EN10277-2/EN10278	3000	4,01 kg/m	-		100 kg
0600	BLP03002	Blank plat h11 30x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,47 kg/m	-		100 kg
0600	BLP03003	Blank plat h11 30x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,72 kg/m	-		100 kg
0600	BLP03004	Blank plat h11 30x4 mm	S235JRC+C EN10277-2/EN10278	3000	0,96 kg/m	-		100 kg
0600	BLP03005	Blank plat h11 30x5 mm	S235JRC+C EN10277-2/EN10278	3000	1,2 kg/m	-		100 kg
0600	BLP03006	Blank plat h11 30x6 mm	S235JRC+C EN10277-2/EN10278	3000	1,44 kg/m	-		100 kg
0600	BLP03008	Blank plat h11 30x8 mm	S235JRC+C EN10277-2/EN10278	3000	1,92 kg/m	-		100 kg
0600	BLP03010	Blank plat h11 30x10 mm	S235JRC+C EN10277-2/EN10278	3000	2,41 kg/m	-		100 kg
0600	BLP03012	Blank plat h11 30x12 mm	S235JRC+C EN10277-2/EN10278	3000	2,88 kg/m	-		100 kg
0600	BLP03015	Blank plat h11 30x15 mm	S235JRC+C EN10277-2/EN10278	3000	3,6 kg/m	-		100 kg
0600	BLP03016	Blank plat h11 30x16 mm	S235JRC+C EN10277-2/EN10278	3000	3,8 kg/m	-		100 kg
0600	BLP03020	Blank plat h11 30x20 mm	S235JRC+C EN10277-2/EN10278	3000	4,8 kg/m	-		100 kg
0600	BLP03025	Blank plat h11 30x25 mm	S235JRC+C EN10277-2/EN10278	3000	6 kg/m	-		100 kg
0600	BLP03503	Blank plat h11 35x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,85 kg/m	-		100 kg
0600	BLP03504	Blank plat h11 35x4 mm	S235JRC+C EN10277-2/EN10278	3000	1,12 kg/m	-		100 kg
0600	BLP03505	Blank plat h11 35x5 mm	S235JRC+C EN10277-2/EN10278	3000	1,4 kg/m	-		100 kg
0600	BLP03506	Blank plat h11 35x6 mm	S235JRC+C EN10277-2/EN10278	3000	1,68 kg/m	-		100 kg
0600	BLP03508	Blank plat h11 35x8 mm	S235JRC+C EN10277-2/EN10278	3000	2,24 kg/m	-		100 kg
0600	BLP03510	Blank plat h11 35x10 mm	S235JRC+C EN10277-2/EN10278	3000	2,8 kg/m	-		100 kg
0600	BLP03512	Blank plat h11 35x12 mm	S235JRC+C EN10277-2/EN10278	3000	3,36 kg/m	-		100 kg
0600	BLP03515	Blank plat h11 35x15 mm	S235JRC+C EN10277-2/EN10278	3000	4,2 kg/m	-		100 kg
0600	BLP03516	Blank plat h11 35x16 mm	S235JRC+C EN10277-2/EN10278	3000	4,48 kg/m	-		100 kg
0600	BLP03518	Blank plat h11 35x18 mm	S235JRC+C EN10277-2/EN10278	3000	4,95 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP03520	Blank plat h11 35x20 mm	S235JRC+C EN10277-2/EN10278	3000	5,61 kg/m	-		100 kg
0600	BLP03525	Blank plat h11 35x25 mm	S235JRC+C EN10277-2/EN10278	3000	7 kg/m	-		100 kg
0600	BLP04002	Blank plat h11 40x2 mm	S235JRC+C EN10277-2/EN10278	3000	0,66 kg/m	-		100 kg
0600	BLP04003	Blank plat h11 40x3 mm	S235JRC+C EN10277-2/EN10278	3000	0,96 kg/m	-		100 kg
0600	BLP04004	Blank plat h11 40x4 mm	S235JRC+C EN10277-2/EN10278	3000	1,28 kg/m	-		100 kg
0600	BLP04005	Blank plat h11 40x5 mm	S235JRC+C EN10277-2/EN10278	3000	1,6 kg/m	-		100 kg
0600	BLP04006	Blank plat h11 40x6 mm	S235JRC+C EN10277-2/EN10278	3000	1,92 kg/m	-		100 kg
0600	BLP04008	Blank plat h11 40x8 mm	S235JRC+C EN10277-2/EN10278	3000	2,56 kg/m	-		100 kg
0600	BLP04010	Blank plat h11 40x10 mm	S235JRC+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	BLP04012	Blank plat h11 40x12 mm	S235JRC+C EN10277-2/EN10278	3000	3,84 kg/m	-		100 kg
0600	BLP04015	Blank plat h11 40x15 mm	S235JRC+C EN10277-2/EN10278	3000	4,8 kg/m	-		100 kg
0600	BLP04020	Blank plat h11 40x20 mm	S235JRC+C EN10277-2/EN10278	3000	6,4 kg/m	-		100 kg
0600	BLP04025	Blank plat h11 40x25 mm	S235JRC+C EN10277-2/EN10278	3000	8 kg/m	-		100 kg
0600	BLP04030	Blank plat h11 40x30 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP04035	Blank plat h11 40x35 mm	S235JRC+C EN10277-2/EN10278	3000	11 kg/m	-		100 kg
0600	BLP04503	Blank plat h11 45x3 mm	S235JRC+C EN10277-2/EN10278	3000	1,06 kg/m	-		100 kg
0600	BLP04504	Blank plat h11 45x4 mm	S235JRC+C EN10277-2/EN10278	3000	1,42 kg/m	-		100 kg
0600	BLP04505	Blank plat h11 45x5 mm	S235JRC+C EN10277-2/EN10278	3000	1,8 kg/m	-		100 kg
0600	BLP04506	Blank plat h11 45x6 mm	S235JRC+C EN10277-2/EN10278	3000	2,16 kg/m	-		100 kg
0600	BLP04508	Blank plat h11 45x8 mm	S235JRC+C EN10277-2/EN10278	3000	2,88 kg/m	-		100 kg
0600	BLP04510	Blank plat h11 45x10 mm	S235JRC+C EN10277-2/EN10278	3000	3,6 kg/m	-		100 kg
0600	BLP04512	Blank plat h11 45x12 mm	S235JRC+C EN10277-2/EN10278	3000	4,24 kg/m	-		100 kg
0600	BLP04515	Blank plat h11 45x15 mm	S235JRC+C EN10277-2/EN10278	3000	5,4 kg/m	-		100 kg
0600	BLP04520	Blank plat h11 45x20 mm	S235JRC+C EN10277-2/EN10278	3000	7,21 kg/m	-		100 kg
0600	BLP04525	Blank plat h11 45x25 mm	S235JRC+C EN10277-2/EN10278	3000	9 kg/m	-		100 kg
0600	BLP04530	Blank plat h11 45x30 mm	S235JRC+C EN10277-2/EN10278	3000	10,6 kg/m	-		100 kg
0600	BLP05003	Blank plat h11 50x3 mm	S235JRC+C EN10277-2/EN10278	3000	1,2 kg/m	-		100 kg
0600	BLP05004	Blank plat h11 50x4 mm	S235JRC+C EN10277-2/EN10278	3000	1,6 kg/m	-		100 kg
0600	BLP05005	Blank plat h11 50x5 mm	S235JRC+C EN10277-2/EN10278	3000	2 kg/m	-		100 kg
0600	BLP05006	Blank plat h11 50x6 mm	S235JRC+C EN10277-2/EN10278	3000	2,4 kg/m	-		100 kg
0600	BLP05008	Blank plat h11 50x8 mm	S235JRC+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	BLP05010	Blank plat h11 50x10 mm	S235JRC+C EN10277-2/EN10278	3000	4 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP05012	Blank plat h11 50x12 mm	S235JRC+C EN10277-2/EN10278	3000	4,8 kg/m	-		100 kg
0600	BLP05015	Blank plat h11 50x15 mm	S235JRC+C EN10277-2/EN10278	3000	6 kg/m	-		100 kg
0600	BLP05020	Blank plat h11 50x20 mm	S235JRC+C EN10277-2/EN10278	3000	8 kg/m	-		100 kg
0600	BLP05025	Blank plat h11 50x25 mm	S235JRC+C EN10277-2/EN10278	3000	10 kg/m	-		100 kg
0600	BLP05030	Blank plat h11 50x30 mm	S235JRC+C EN10277-2/EN10278	3000	12 kg/m	-		100 kg
0600	BLP05035	Blank plat h11 50x35 mm	S235JRC+C EN10277-2/EN10278	3000	14 kg/m	-		100 kg
0600	BLP05040	Blank plat h11 50x40 mm	S235JRC+C EN10277-2/EN10278	3000	16 kg/m	-		100 kg
0600	BLP05505	Blank plat h11 55x5 mm	S235JRC+C EN10277-2/EN10278	3000	2,16 kg/m	-		100 kg
0600	BLP05510	Blank plat h11 55x10 mm	S235JRC+C EN10277-2/EN10278	3000	4,35 kg/m	-		100 kg
0600	BLP06003	Blank plat h11 60x3 mm	S235JRC+C EN10277-2/EN10278	3000	1,44 kg/m	-		100 kg
0600	BLP06004	Blank plat h11 60x4 mm	S235JRC+C EN10277-2/EN10278	3000	1,92 kg/m	-		100 kg
0600	BLP06005	Blank plat h11 60x5 mm	S235JRC+C EN10277-2/EN10278	3000	2,36 kg/m	-		100 kg
0600	BLP06006	Blank plat h11 60x6 mm	S235JRC+C EN10277-2/EN10278	3000	2,88 kg/m	-		100 kg
0600	BLP06008	Blank plat h11 60x8 mm	S235JRC+C EN10277-2/EN10278	3000	3,84 kg/m	-		100 kg
0600	BLP06010	Blank plat h11 60x10 mm	S235JRC+C EN10277-2/EN10278	3000	4,8 kg/m	-		100 kg
0600	BLP06012	Blank plat h11 60x12 mm	S235JRC+C EN10277-2/EN10278	3000	5,76 kg/m	-		100 kg
0600	BLP06015	Blank plat h11 60x15 mm	S235JRC+C EN10277-2/EN10278	3000	7,2 kg/m	-		100 kg
0600	BLP06020	Blank plat h11 60x20 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP06025	Blank plat h11 60x25 mm	S235JRC+C EN10277-2/EN10278	3000	12 kg/m	-		100 kg
0600	BLP06030	Blank plat h11 60x30 mm	S235JRC+C EN10277-2/EN10278	3000	14,13 kg/m	-		100 kg
0600	BLP06035	Blank plat h11 60x35 mm	S235JRC+C EN10277-2/EN10278	3000	16,53 kg/m	-		100 kg
0600	BLP06040	Blank plat h11 60x40 mm	S235JRC+C EN10277-2/EN10278	3000	18,8 kg/m	-		100 kg
0600	BLP06050	Blank plat h11 60x50 mm	S235JRC+C EN10277-2/EN10278	3000	23,6 kg/m	-		100 kg
0600	BLP06510	Blank plat h11 65x10 mm	S235JRC+C EN10277-2/EN10278	3000	5,1 kg/m	-		100 kg
0600	BLP06520	Blank plat h11 65x20 mm	S235JRC+C EN10277-2/EN10278	3000	10,39 kg/m	-		100 kg
0600	BLP06525	Blank plat h11 65x25 mm	S235JRC+C EN10277-2/EN10278	3000	12,79 kg/m	-		100 kg
0600	BLP07003	Blank plat h11 70x3 mm	S235JRC+C EN10277-2/EN10278	3000	1,65 kg/m	-		100 kg
0600	BLP07004	Blank plat h11 70x4 mm	S235JRC+C EN10277-2/EN10278	3000	2,24 kg/m	-		100 kg
0600	BLP07005	Blank plat h11 70x5 mm	S235JRC+C EN10277-2/EN10278	3000	2,8 kg/m	-		100 kg
0600	BLP07006	Blank plat h11 70x6 mm	S235JRC+C EN10277-2/EN10278	3000	3,36 kg/m	-		100 kg
0600	BLP07008	Blank plat h11 70x8 mm	S235JRC+C EN10277-2/EN10278	3000	4,48 kg/m	-		100 kg
0600	BLP07010	Blank plat h11 70x10 mm	S235JRC+C EN10277-2/EN10278	3000	5,6 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP07012	Blank plat h11 70x12 mm	S235JRC+C EN10277-2/EN10278	3000	6,72 kg/m	-		100 kg
0600	BLP07015	Blank plat h11 70x15 mm	S235JRC+C EN10277-2/EN10278	3000	8,24 kg/m	-		100 kg
0600	BLP07020	Blank plat h11 70x20 mm	S235JRC+C EN10277-2/EN10278	3000	11,2 kg/m	-		100 kg
0600	BLP07025	Blank plat h11 70x25 mm	S235JRC+C EN10277-2/EN10278	3000	13,96 kg/m	-		100 kg
0600	BLP07030	Blank plat h11 70x30 mm	S235JRC+C EN10277-2/EN10278	3000	16,8 kg/m	-		100 kg
0600	BLP07035	Blank plat h11 70x35 mm	S235JRC+C EN10277-2/EN10278	3000	19,23 kg/m	-		100 kg
0600	BLP07040	Blank plat h11 70x40 mm	S235JRC+C EN10277-2/EN10278	3000	22,42 kg/m	-		100 kg
0600	BLP07050	Blank plat h11 70x50 mm	S235JRC+C EN10277-2/EN10278	3000	28,02 kg/m	-		100 kg
0600	BLP08004	Blank plat h11 80x4 mm	S235JRC+C EN10277-2/EN10278	3000	2,52 kg/m	-		100 kg
0600	BLP08005	Blank plat h11 80x5 mm	S235JRC+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	BLP08006	Blank plat h11 80x6 mm	S235JRC+C EN10277-2/EN10278	3000	3,84 kg/m	-		100 kg
0600	BLP08008	Blank plat h11 80x8 mm	S235JRC+C EN10277-2/EN10278	3000	5,12 kg/m	-		100 kg
0600	BLP08010	Blank plat h11 80x10 mm	S235JRC+C EN10277-2/EN10278	3000	6,4 kg/m	-		100 kg
0600	BLP08012	Blank plat h11 80x12 mm	S235JRC+C EN10277-2/EN10278	3000	7,68 kg/m	-		100 kg
0600	BLP08015	Blank plat h11 80x15 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP08020	Blank plat h11 80x20 mm	S235JRC+C EN10277-2/EN10278	3000	12,8 kg/m	-		100 kg
0600	BLP08025	Blank plat h11 80x25 mm	S235JRC+C EN10277-2/EN10278	3000	15,7 kg/m	-		100 kg
0600	BLP08030	Blank plat h11 80x30 mm	S235JRC+C EN10277-2/EN10278	3000	19,2 kg/m	-		100 kg
0600	BLP08040	Blank plat h11 80x40 mm	S235JRC+C EN10277-2/EN10278	3000	25,6 kg/m	-		100 kg
0600	BLP08050	Blank plat h11 80x50 mm	S235JRC+C EN10277-2/EN10278	3000	31,48 kg/m	-		100 kg
0600	BLP08050	Blank plat h11 80x50 mm	S235JRC+C EN10277-2/EN10278	6000	31,48 kg/m	-		100 kg
0600	BLP08060	Blank plat h11 80x60 mm	S235JRC+C EN10277-2/EN10278	3000	37,7 kg/m	-		100 kg
0600	BLP09004	Blank plat h11 90x4 mm	S235JRC+C EN10277-2/EN10278	3000	2,88 kg/m	-		100 kg
0600	BLP09005	Blank plat h11 90x5 mm	S235JRC+C EN10277-2/EN10278	3000	3,62 kg/m	-		100 kg
0600	BLP09006	Blank plat h11 90x6 mm	S235JRC+C EN10277-2/EN10278	3000	4,32 kg/m	-		100 kg
0600	BLP09008	Blank plat h11 90x8 mm	S235JRC+C EN10277-2/EN10278	3000	5,65 kg/m	-		100 kg
0600	BLP09010	Blank plat h11 90x10 mm	S235JRC+C EN10277-2/EN10278	3000	7,21 kg/m	-		100 kg
0600	BLP09012	Blank plat h11 90x12 mm	S235JRC+C EN10277-2/EN10278	3000	8,64 kg/m	-		100 kg
0600	BLP09015	Blank plat h11 90x15 mm	S235JRC+C EN10277-2/EN10278	3000	10,8 kg/m	-		100 kg
0600	BLP09020	Blank plat h11 90x20 mm	S235JRC+C EN10277-2/EN10278	3000	14,37 kg/m	-		100 kg
0600	BLP09025	Blank plat h11 90x25 mm	S235JRC+C EN10277-2/EN10278	3000	17,71 kg/m	-		100 kg
0600	BLP09030	Blank plat h11 90x30 mm	S235JRC+C EN10277-2/EN10278	3000	21,2 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP09040	Blank plat h11 90x40 mm	S235JRC+C EN10277-2/EN10278	3000	28,8 kg/m	-		100 kg
0600	BLP09050	Blank plat h11 90x50 mm	S235JRC+C EN10277-2/EN10278	3000	35 kg/m	-		100 kg
0600	BLP10005	Blank plat h11 100x5 mm	S235JRC+C EN10277-2/EN10278	3000	4 kg/m	-		100 kg
0600	BLP10006	Blank plat h11 100x6 mm	S235JRC+C EN10277-2/EN10278	3000	4,8 kg/m	-		100 kg
0600	BLP10008	Blank plat h11 100x8 mm	S235JRC+C EN10277-2/EN10278	3000	6,4 kg/m	-		100 kg
0600	BLP10010	Blank plat h11 100x10 mm	S235JRC+C EN10277-2/EN10278	3000	8 kg/m	-		100 kg
0600	BLP10012	Blank plat h11 100x12 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP10015	Blank plat h11 100x15 mm	S235JRC+C EN10277-2/EN10278	3000	12 kg/m	-		100 kg
0600	BLP10020	Blank plat h11 100x20 mm	S235JRC+C EN10277-2/EN10278	3000	16 kg/m	-		100 kg
0600	BLP10025	Blank plat h11 100x25 mm	S235JRC+C EN10277-2/EN10278	3000	19,97 kg/m	-		100 kg
0600	BLP10030	Blank plat h11 100x30 mm	S235JRC+C EN10277-2/EN10278	3000	24 kg/m	-		100 kg
0600	BLP10035	Blank plat h11 100x35 mm	S235JRC+C EN10277-2/EN10278	3000	28 kg/m	-		100 kg
0600	BLP10040	Blank plat h11 100x40 mm	S235JRC+C EN10277-2/EN10278	3000	32 kg/m	-		100 kg
0600	BLP10060	Blank plat h11 100x60 mm	S235JRC+C EN10277-2/EN10278	3000	47,1 kg/m	-		100 kg
0600	BLP11008	Blank plat h11 110x8 mm	S235JRC+C EN10277-2/EN10278	3000	6,91 kg/m	-		100 kg
0600	BLP11010	Blank plat h11 110x10 mm	S235JRC+C EN10277-2/EN10278	3000	8,8 kg/m	-		100 kg
0600	BLP11015	Blank plat h11 110x15 mm	S235JRC+C EN10277-2/EN10278	3000	12,99 kg/m	-		100 kg
0600	BLP12005	Blank plat h11 120x5 mm	S235JRC+C EN10277-2/EN10278	3000	4,71 kg/m	-		100 kg
0600	BLP12006	Blank plat h11 120x6 mm	S235JRC+C EN10277-2/EN10278	3000	5,76 kg/m	-		100 kg
0600	BLP12008	Blank plat h11 120x8 mm	S235JRC+C EN10277-2/EN10278	3000	7,7 kg/m	-		100 kg
0600	BLP12010	Blank plat h11 120x10 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP12012	Blank plat h11 120x12 mm	S235JRC+C EN10277-2/EN10278	3000	11,5 kg/m	-		100 kg
0600	BLP12015	Blank plat h11 120x15 mm	S235JRC+C EN10277-2/EN10278	3000	14,4 kg/m	-		100 kg
0600	BLP12020	Blank plat h11 120x20 mm	S235JRC+C EN10277-2/EN10278	3000	19,2 kg/m	-		100 kg
0600	BLP12025	Blank plat h11 120x25 mm	S235JRC+C EN10277-2/EN10278	3000	24,05 kg/m	-		100 kg
0600	BLP12030	Blank plat h11 120x30 mm	S235JRC+C EN10277-2/EN10278	3000	28,33 kg/m	-		100 kg
0600	BLP12040	Blank plat h11 120x40 mm	S235JRC+C EN10277-2/EN10278	3000	37,68 kg/m	-		100 kg
0600	BLP12050	Blank plat h11 120x50 mm	S235JRC+C EN10277-2/EN10278	3000	47,1 kg/m	-		100 kg
0600	BLP12060	Blank plat h11 120x60 mm	S235JRC+C EN10277-2/EN10278	3000	56,88 kg/m	-		100 kg
0600	BLP12515	Blank plat h11 125x15 mm	S235JRC+C EN10277-2/EN10278	3000	14,76 kg/m	-		100 kg
0600	BLP13010	Blank plat h11 130x10 mm	S235JRC+C EN10277-2/EN10278	3000	10,39 kg/m	-		100 kg
0600	BLP13012	Blank plat h11 130x12 mm	S235JRC+C EN10277-2/EN10278	3000	12,15 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP13015	Blank plat h11 130x15 mm	S235JRC+C EN10277-2/EN10278	3000	15,31 kg/m	-		100 kg
0600	BLP13020	Blank plat h11 130x20 mm	S235JRC+C EN10277-2/EN10278	3000	20,79 kg/m	-		100 kg
0600	BLP13030	Blank plat h11 130x30 mm	S235JRC+C EN10277-2/EN10278	3000	30,5 kg/m	-		100 kg
0600	BLP14012	Blank plat h11 140x12 mm	S235JRC+C EN10277-2/EN10278	3000	13,09 kg/m	-		100 kg
0600	BLP14015	Blank plat h11 140x15 mm	S235JRC+C EN10277-2/EN10278	3000	16,36 kg/m	-		100 kg
0600	BLP14020	Blank plat h11 140x20 mm	S235JRC+C EN10277-2/EN10278	3000	21,98 kg/m	-		100 kg
0600	BLP15008	Blank plat h11 150x8 mm	S235JRC+C EN10277-2/EN10278	3000	9,6 kg/m	-		100 kg
0600	BLP15010	Blank plat h11 150x10 mm	S235JRC+C EN10277-2/EN10278	3000	12 kg/m	-		100 kg
0600	BLP15012	Blank plat h11 150x12 mm	S235JRC+C EN10277-2/EN10278	3000	14,17 kg/m	-		100 kg
0600	BLP15015	Blank plat h11 150x15 mm	S235JRC+C EN10277-2/EN10278	3000	17,7 kg/m	-		100 kg
0600	BLP15020	Blank plat h11 150x20 mm	S235JRC+C EN10277-2/EN10278	3000	24,05 kg/m	-		100 kg
0600	BLP15025	Blank plat h11 150x25 mm	S235JRC+C EN10277-2/EN10278	3000	29,96 kg/m	-		100 kg
0600	BLP15030	Blank plat h11 150x30 mm	S235JRC+C EN10277-2/EN10278	3000	35,3 kg/m	-		100 kg
0600	BLP15040	Blank plat h11 150x40 mm	S235JRC+C EN10277-2/EN10278	3000	47,22 kg/m	-		100 kg
0600	BLP15050	Blank plat h11 150x50 mm	S235JRC+C EN10277-2/EN10278	3000	58,88 kg/m	-		100 kg
0600	BLP16010	Blank plat h11 160x10 mm	S235JRC+C EN10277-2/EN10278	3000	12,8 kg/m	-		100 kg
0600	BLP16015	Blank plat h11 160x15 mm	S235JRC+C EN10277-2/EN10278	3000	18,89 kg/m	-		100 kg
0600	BLP16020	Blank plat h11 160x20 mm	S235JRC+C EN10277-2/EN10278	3000	25,18 kg/m	-		100 kg
0600	BLP16025	Blank plat h11 160x25 mm	S235JRC+C EN10277-2/EN10278	3000	31,4 kg/m	-		100 kg
0600	BLP18008	Blank plat h11 180x8 mm	S235JRC+C EN10277-2/EN10278	3000	11,32 kg/m	-		100 kg
0600	BLP18010	Blank plat h11 180x10 mm	S235JRC+C EN10277-2/EN10278	3000	14,13 kg/m	-		100 kg
0600	BLP18015	Blank plat h11 180x15 mm	S235JRC+C EN10277-2/EN10278	3000	21,2 kg/m	-		100 kg
0600	BLP18020	Blank plat h11 180x20 mm	S235JRC+C EN10277-2/EN10278	3000	28,26 kg/m	-		100 kg
0600	BLP18030	Blank plat h11 180x30 mm	S235JRC+C EN10277-2/EN10278	3000	43,5 kg/m	-		100 kg
0600	BLP20008	Blank plat h11 200x8 mm	S235JRC+C EN10277-2/EN10278	3000	13,1 kg/m	-		100 kg
0600	BLP20010	Blank plat h11 200x10 mm	S235JRC+C EN10277-2/EN10278	3000	15,74 kg/m	-		100 kg
0600	BLP20012	Blank plat h11 200x12 mm	S235JRC+C EN10277-2/EN10278	3000	19,57 kg/m	-		100 kg
0600	BLP20015	Blank plat h11 200x15 mm	S235JRC+C EN10277-2/EN10278	3000	24 kg/m	-		100 kg
0600	BLP20020	Blank plat h11 200x20 mm	S235JRC+C EN10277-2/EN10278	3000	32 kg/m	-		100 kg
0600	BLP20025	Blank plat h11 200x25 mm	S235JRC+C EN10277-2/EN10278	3000	39,25 kg/m	-		100 kg
0600	BLP20030	Blank plat h11 200x30 mm	S235JRC+C EN10277-2/EN10278	3000	48,91 kg/m	-		100 kg
0600	BLP20040	Blank plat h11 200x40 mm	S235JRC+C EN10277-2/EN10278	3000	62,96 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLP20050	Blank plat h11 200x50 mm	S235JRC+C EN10277-2/EN10278	3000	80 kg/m	-		100 kg
0600	BLP25010	Blank plat h11 250x10 mm	S235JRC+C EN10277-2/EN10278	3000	19,63 kg/m	-		100 kg
0600	BLP25015	Blank plat h11 250x15 mm	S235JRC+C EN10277-2/EN10278	3000	29,4 kg/m	-		100 kg
0600	BLP25020	Blank plat h11 250x20 mm	S235JRC+C EN10277-2/EN10278	3000	40,76 kg/m	-		100 kg
0600	BLP25025	Blank plat h11 250x25 mm	S235JRC+C EN10277-2/EN10278	3000	49,19 kg/m	-		100 kg
0600	BLP30015	Blank plat h11 300x15 mm	S235JRC+C EN10277-2/EN10278	3000	35,42 kg/m	-		100 kg
0600	BLP30020	Blank plat h11 300x20 mm	S235JRC+C EN10277-2/EN10278	3000	47,22 kg/m	-		100 kg
0600	BLP30025	Blank plat h11 300x25 mm	S235JRC+C EN10277-2/EN10278	3000	59,03 kg/m	-		100 kg
0600	BLP30030	Blank plat h11 300x30 mm	S235JRC+C EN10277-2/EN10278	3000	70,65 kg/m	-		100 kg
								-
0600	BLR003	Blank rond h9 3 mm	S235JRC+C / SH EN10277-2/EN10278	3000	0,06 kg/m	-		100 kg
0600	BLR004	Blank rond h9 4 mm	S235JRC+C / SH EN10277-2/EN10278	3000	0,1 kg/m	-		100 kg
0600	BLR005	Blank rond h9 5 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,15 kg/m	-		100 kg
0600	BLR006	Blank rond h9 6 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,23 kg/m	-		100 kg
0600	BLR007	Blank rond h9 7 mm	S235JRC+C / SH EN10277-2/EN10278	3000	0,31 kg/m	-		100 kg
0600	BLR007	Blank rond h9 7 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,31 kg/m	-		100 kg
0600	BLR008	Blank rond h9 8 mm	S235JRC+C / SH EN10277-2/EN10278	3000	0,4 kg/m	-		100 kg
0600	BLR008	Blank rond h9 8 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,4 kg/m	-		100 kg
0600	BLR010	Blank rond h9 10 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,63 kg/m	-		100 kg
0600	BLR011	Blank rond h9 11 mm	S235JRC+C / SH EN10277-2/EN10278	3000	0,76 kg/m	-		100 kg
0600	BLR011	Blank rond h9 11 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,76 kg/m	-		100 kg
0600	BLR012	Blank rond h9 12 mm	S235JRC+C / SH EN10277-2/EN10278	6000	0,91 kg/m	-		100 kg
0600	BLR013	Blank rond h9 13 mm	S235JRC+C / SH EN10277-2/EN10278	6000	1,06 kg/m	-		100 kg
0600	BLR014	Blank rond h9 14 mm	S235JRC+C / SH EN10277-2/EN10278	6000	1,23 kg/m	-		100 kg
0600	BLR015	Blank rond h9 15 mm	S235JRC+C / SH EN10277-2/EN10278	6000	1,42 kg/m	-		100 kg
0600	BLR016	Blank rond h9 16 mm	S235JRC+C / SH EN10277-2/EN10278	6000	1,61 kg/m	-		100 kg
0600	BLR017	Blank rond h9 17 mm	S235JRC+C / SH EN10277-2/EN10278	6000	1,81 kg/m	-		100 kg
0600	BLR018	Blank rond h9 18 mm	S235JRC+C / SH EN10277-2/EN10278	6000	2,04 kg/m	-		100 kg
0600	BLR019	Blank rond h9 19 mm	S235JRC+C / SH EN10277-2/EN10278	6000	2,27 kg/m	-		100 kg
0600	BLR020	Blank rond h9 20 mm	S235JRC+C / SH EN10277-2/EN10278	6000	2,52 kg/m	-		100 kg
0600	BLR022	Blank rond h9 22 mm	S235JRC+C / SH EN10277-2/EN10278	6000	3,04 kg/m	-		100 kg
0600	BLR025	Blank rond h9 25 mm	S235JRC+C / SH EN10277-2/EN10278	6000	3,93 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLR028	Blank rond h9 28 mm	S235JRC+C / SH EN10277-2/EN10278	6000	4,92 kg/m	-		100 kg
0600	BLR030	Blank rond h9 30 mm	S235JRC+C / SH EN10277-2/EN10278	6000	5,65 kg/m	-		100 kg
0600	BLR035	Blank rond h9 35 mm	S235JRC+C / SH EN10277-2/EN10278	6000	7,69 kg/m	-		100 kg
0600	BLR040	Blank rond h9 40 mm	S235JRC+C / SH EN10277-2/EN10278	6000	10,05 kg/m	-		100 kg
0600	BLR045	Blank rond h9 45 mm	S235JRC+C / SH EN10277-2/EN10278	6000	12,72 kg/m	-		100 kg
0600	BLR050	Blank rond h9 50 mm	S235JRC+C / SH EN10277-2/EN10278	6000	15,69 kg/m	-		100 kg
0600	BLR060	Blank rond h9 60 mm	S235JRC+C / SH EN10277-2/EN10278	6000	22,61 kg/m	-		100 kg
								-
0600	BLSP00807	Spieenstaal h11 8x7 mm	C45+C/St60+C EN10277-2/DIN6880	3000	0,46 kg/m	-		100 kg
0600	BLSP01008	Spieenstaal h11 10x8 mm	C45+C/St60+C EN10277-2/DIN6880	3000	0,64 kg/m	-		100 kg
0600	BLSP01208	Spieenstaal h11 12x8 mm	C45+C/St60+C EN10277-2/DIN6880	3000	0,76 kg/m	-		100 kg
0600	BLSP01409	Spieenstaal h11 14x9 mm	C45+C/St60+C EN10277-2/DIN6880	3000	1,01 kg/m	-		100 kg
0600	BLSP01610	Spieenstaal h11 16x10 mm	C45+C/St60+C EN10277-2/DIN6880	3000	1,28 kg/m	-		100 kg
0600	BLSP02214	Spieenstaal h11 22x14 mm	C45+C/St60+C EN10277-2/DIN6880	3000	2,4 kg/m	-		100 kg
0600	BLSP02816	Spieenstaal h11 28x16 mm	C45+C/St60+C EN10277-2/DIN6880	3000	3,52 kg/m	-		100 kg
0600	BLSV006	Spieenstaal h9 6 x 6 mm	C45+C/St60+C EN10277-2/DIN6880	3000	0,28 kg/m	-		100 kg
								-
0600	BLV004	Blank vierkant h11 4 mm	S235JRC+C EN10277-2/EN10278	3000	0,13 kg/m	-		100 kg
0600	BLV005	Blank vierkant h11 5 mm	S235JRC+C EN10277-2/EN10278	3000	0,2 kg/m	-		100 kg
0600	BLV006	Blank vierkant h11 6 mm	S235JRC+C EN10277-2/EN10278	3000	0,29 kg/m	-		100 kg
0600	BLV008	Blank vierkant h11 8 mm	S235JRC+C EN10277-2/EN10278	3000	0,51 kg/m	-		100 kg
0600	BLV010	Blank vierkant h11 10 mm	S235JRC+C EN10277-2/EN10278	3000	0,8 kg/m	-		100 kg
0600	BLV012	Blank vierkant h11 12 mm	S235JRC+C EN10277-2/EN10278	3000	1,15 kg/m	-		100 kg
0600	BLV014	Blank vierkant h11 14 mm	S235JRC+C EN10277-2/EN10278	3000	1,57 kg/m	-		100 kg
0600	BLV015	Blank vierkant h11 15 mm	S235JRC+C EN10277-2/EN10278	3000	1,8 kg/m	-		100 kg
0600	BLV016	Blank vierkant h11 16 mm	S235JRC+C EN10277-2/EN10278	3000	2,05 kg/m	-		100 kg
0600	BLV018	Blank vierkant h11 18 mm	S235JRC+C EN10277-2/EN10278	3000	2,63 kg/m	-		100 kg
0600	BLV020	Blank vierkant h11 20 mm	S235JRC+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	BLV022	Blank vierkant h11 22 mm	S235JRC+C EN10277-2/EN10278	3000	3,87 kg/m	-		100 kg
0600	BLV025	Blank vierkant h11 25 mm	S235JRC+C EN10277-2/EN10278	3000	5 kg/m	-		100 kg
0600	BLV030	Blank vierkant h11 30 mm	S235JRC+C EN10277-2/EN10278	3000	7,21 kg/m	-		100 kg
0600	BLV030	Blank vierkant h11 30 mm	S235JRC+C EN10277-2/EN10278	6000	7,21 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	BLV032	Blank vierkant h11 32 mm	S235JRC+C EN10277-2/EN10278	3000	8,04 kg/m	-		100 kg
0600	BLV035	Blank vierkant h11 35 mm	S235JRC+C EN10277-2/EN10278	3000	9,8 kg/m	-		100 kg
0600	BLV040	Blank vierkant h11 40 mm	S235JRC+C EN10277-2/EN10278	3000	12,56 kg/m	-		100 kg
0600	BLV040	Blank vierkant h11 40 mm	S235JRC+C EN10277-2/EN10278	6000	12,56 kg/m	-		100 kg
0600	BLV045	Blank vierkant h11 45 mm	S235JRC+C EN10277-2/EN10278	3000	16,2 kg/m	-		100 kg
0600	BLV050	Blank vierkant h11 50 mm	S235JRC+C EN10277-2/EN10278	3000	19,97 kg/m	-		100 kg
0600	BLV050	Blank vierkant h11 50 mm	S235JRC+C EN10277-2/EN10278	6000	19,97 kg/m	-		100 kg
0600	BLV060	Blank vierkant h11 60 mm	S235JRC+C EN10277-2/EN10278	3000	28,84 kg/m	-		100 kg
0600	BLV070	Blank vierkant h11 70 mm	S235JRC+C EN10277-2/EN10278	3000	39,23 kg/m	-		100 kg
0600	BLV080	Blank vierkant h11 80 mm	S235JRC+C EN10277-2/EN10278	3000	50,24 kg/m	-		100 kg
0600	BLV090	Blank vierkant h11 90 mm	S235JRC+C EN10277-2/EN10278	3000	63,6 kg/m	-		100 kg
0600	BLV100	Blank vierkant h11 100 mm	S235JRC+C EN10277-2/EN10278	3000	79,99 kg/m	-		100 kg
								-
0600	QBLP02010	Blank plat h11 20x10 mm	S355J2+C EN10277-2/EN10278	3000	1,6 kg/m	-		100 kg
0600	QBLP05025	Blank plat h11 50x25 mm	S355J2+C EN10277-2/EN10278	3000	10 kg/m	-		100 kg
0600	QBLP05025	Blank plat h11 50x25 mm	S355J2+C EN10277-2/EN10278	6000	10 kg/m	-		100 kg
0600	QBLP08025	Blank plat h11 80x25 mm	S355J2+C EN10277-2/EN10278	3000	15,7 kg/m	-		100 kg
								-
0600	QBLR008	Blank rond h9 8 mm	S355J2+C/SH EN10277-2/EN10278	6000	0,4 kg/m	-		100 kg
0600	QBLR010	Blank rond h9 10 mm	S355J2+C/SH EN10277-2/EN10278	6000	0,62 kg/m	-		100 kg
0600	QBLR012	Blank rond h9 12 mm	S355J2+C/SH EN10277-2/EN10278	6000	0,91 kg/m	-		100 kg
0600	QBLR014	Blank rond h9 14 mm	S355J2+C/SH EN10277-2/EN10278	6000	1,23 kg/m	-		100 kg
0600	QBLR015	Blank rond h9 15 mm	S355J2+C/SH EN10277-2/EN10278	6000	1,42 kg/m	-		100 kg
0600	QBLR016	Blank rond h9 16 mm	S355J2+C/SH EN10277-2/EN10278	6000	1,61 kg/m	-		100 kg
0600	QBLR018	Blank rond h9 18 mm	S355J2+C/SH EN10277-2/EN10278	6000	2,04 kg/m	-		100 kg
0600	QBLR020	Blank rond h9 20 mm	S355J2+C/SH EN10277-2/EN10278	6000	2,52 kg/m	-		100 kg
0600	QBLR022	Blank rond h9 22 mm	S355J2+C/SH EN10277-2/EN10278	6000	3,04 kg/m	-		100 kg
0600	QBLR024	Blank rond h9 24 mm	S355J2+C/SH EN10277-2/EN10278	6000	3,62 kg/m	-		100 kg
0600	QBLR025	Blank rond h9 25 mm	S355J2+C/SH EN10277-2/EN10278	6000	3,93 kg/m	-		100 kg
0600	QBLR026	Blank rond h9 26 mm	S355J2+C/SH EN10277-2/EN10278	6000	4,25 kg/m	-		100 kg
0600	QBLR028	Blank rond h9 28 mm	S355J2+C/SH EN10277-2/EN10278	6000	4,92 kg/m	-		100 kg
0600	QBLR030	Blank rond h9 30 mm	S355J2+C/SH EN10277-2/EN10278	6000	5,65 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	QBLR032	Blank rond h9 32 mm	S355J2+C/SH EN10277-2/EN10278	6000	6,43 kg/m	-		100 kg
0600	QBLR035	Blank rond h9 35 mm	S355J2+C/SH EN10277-2/EN10278	6000	7,69 kg/m	-		100 kg
0600	QBLR040	Blank rond h9 40 mm	S355J2+C/SH EN10277-2/EN10278	6000	10,05 kg/m	-		100 kg
0600	QBLR045	Blank rond h9 45 mm	S355J2+C/SH EN10277-2/EN10278	6000	12,5 kg/m	-		100 kg
0600	QBLR050	Blank rond h9 50 mm	S355J2+C/SH EN10277-2/EN10278	6000	15,69 kg/m	-		100 kg
0600	QBLR055	Blank rond h9 55 mm	S355J2+C/SH EN10277-2/EN10278	6000	19,06 kg/m	-		100 kg
0600	QBLR060	Blank rond h9 60 mm	S355J2+C/SH EN10277-2/EN10278	6000	22,62 kg/m	-		100 kg
0600	QBLR065	Blank rond h9 65 mm	S355J2+C/SH EN10277-2/EN10278	6000	26,53 kg/m	-		100 kg
0600	QBLR070	Blank rond h9 70 mm	S355J2+C/SH EN10277-2/EN10278	6000	30,77 kg/m	-		100 kg
0600	QBLR075	Blank rond h9 75 mm	S355J2+C/SH EN10277-2/EN10278	6000	35,53 kg/m	-		100 kg
0600	QBLR080	Blank rond h9 80 mm	S355J2+C/SH EN10277-2/EN10278	6000	40,19 kg/m	-		100 kg
0600	QBLR085	Blank rond h9 85 mm	S355J2+C/SH EN10277-2/EN10278	6000	45,35 kg/m	-		100 kg
0600	QBLR090	Blank rond h9 90 mm	S355J2+C/SH EN10277-2/EN10278	6000	50,85 kg/m	-		100 kg
0600	QBLR095	Blank rond h9 95 mm	S355J2+C/SH EN10277-2/EN10278	6000	55,64 kg/m	-		100 kg
0600	QBLR100	Blank rond h9 100 mm	S355J2+C/SH EN10277-2/EN10278	6000	61,65 kg/m	-		100 kg
0600	QBLR110	Blank rond h9 110 mm	S355J2+C/SH EN10277-2/EN10278	6000	76,02 kg/m	-		100 kg
0600	QBLR120	Blank rond h9 120 mm	S355J2+C/SH EN10277-2/EN10278	6000	90,43 kg/m	-		100 kg
0600	QBLR130	Blank rond h9 130 mm	S355J2+C/SH EN10277-2/EN10278	6000	104,2 kg/m	-		100 kg
0600	QBLR140	Blank rond h9 140 mm	S355J2+C/SH EN10277-2/EN10278	6000	120,84 kg/m	-		100 kg
0600	QBLR150	Blank rond h9 150 mm	S355J2+C/SH EN10277-2/EN10278	6000	138,7 kg/m	-		100 kg
0600	QBLR160	Blank rond h9 160 mm	S355J2+C/SH EN10277-2/EN10278	6000	157,8 kg/m	-		100 kg
-								
0600	QBLV020	Blank vierkant h11 20 mm	S355J2+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	QBLV025	Blank vierkant h11 25 mm	S355J2+C EN10277-2/EN10278	3000	5 kg/m	-		100 kg
0600	QBLV030	Blank vierkant h11 30 mm	S355J2+C EN10277-2/EN10278	3000	7,2 kg/m	-		100 kg
0600	QBLV030	Blank vierkant h11 30 mm	S355J2+C EN10277-2/EN10278	6000	7,2 kg/m	-		100 kg
0600	QBLV035	Blank vierkant h11 35 mm	S355J2+C EN10277-2/EN10278	3000	9,8 kg/m	-		100 kg
0600	QBLV035	Blank vierkant h11 35 mm	S355J2+C EN10277-2/EN10278	6000	9,8 kg/m	-		100 kg
0600	QBLV040	Blank vierkant h11 40 mm	S355J2+C EN10277-2/EN10278	3000	12,56 kg/m	-		100 kg
0600	QBLV040	Blank vierkant h11 40 mm	S355J2+C EN10277-2/EN10278	6000	12,56 kg/m	-		100 kg
0600	QBLV050	Blank vierkant h11 50 mm	S355J2+C EN10277-2/EN10278	3000	19,97 kg/m	-		100 kg
0600	QBLV050	Blank vierkant h11 50 mm	S355J2+C EN10277-2/EN10278	6000	19,97 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	QBLV060	Blank vierkant h11 60 mm	S355J2+C EN10277-2/EN10278	3000	28,84 kg/m	-		100 kg
0600	QBLV060	Blank vierkant h11 60 mm	S355J2+C EN10277-2/EN10278	6000	28,84 kg/m	-		100 kg
0600	QBLV070	Blank vierkant h11 70 mm	S355J2+C EN10277-2/EN10278	3000	39,23 kg/m	-		100 kg
0600	QBLV100	Blank vierkant h11 100 mm	S355J2+C EN10277-2/EN10278	3000	79,99 kg/m	-		100 kg
0600	QBLV100	Blank vierkant h11 100 mm	S355J2+C EN10277-2/EN10278	6000	79,99 kg/m	-		100 kg
								-
0600	SBLP03506	Blank plat h11 35x6 mm	C45+C EN10277-2/EN10278	3000	1,68 kg/m	-		100 kg
0600	SBLP10020	Blank plat h11 100x20 mm	C45+C EN10277-2/EN10278	3000	16 kg/m	-		100 kg
0600	SBLP15020	Blank plat h11 150x20 mm	C45+C EN10277-2/EN10278	3000	24,05 kg/m	-		100 kg
								-
0600	SBLR004	Blank rond h9 4 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,1 kg/m	-		100 kg
0600	SBLR005	Blank rond h9 5 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,15 kg/m	-		100 kg
0600	SBLR006	Blank rond h9 6 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,23 kg/m	-		100 kg
0600	SBLR008	Blank rond h9 8 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,4 kg/m	-		100 kg
0600	SBLR008	Blank rond h9 8 mm	C45+C/SH EN10277-2/EN10278	6000	0,4 kg/m	-		100 kg
0600	SBLR009	Blank rond h9 9 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,51 kg/m	-		100 kg
0600	SBLR010	Blank rond h9 10 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,63 kg/m	-		100 kg
0600	SBLR010	Blank rond h9 10 mm	42CrMo4+QT+SH EN10083/EN10060	6000	0,63 kg/m	-		100 kg
0600	SBLR010	Blank rond h9 10 mm	C45+C/SH EN10277-2/EN10278	6000	0,63 kg/m	-		100 kg
0600	SBLR012	Blank rond h9 12 mm	11SMn30+C/SH EN10277-3/EN10278	3000	0,91 kg/m	-		100 kg
0600	SBLR012	Blank rond h9 12 mm	C45+C/SH EN10277-2/EN10278	6000	0,91 kg/m	-		100 kg
0600	SBLR014	Blank rond h9 14 mm	11SMn30+C/SH EN10277-3/EN10278	3000	1,23 kg/m	-		100 kg
0600	SBLR014	Blank rond h9 14 mm	C45+C/SH EN10277-2/EN10278	6000	1,23 kg/m	-		100 kg
0600	SBLR015	Blank rond h9 15 mm	11SMn30+C/SH EN10277-3/EN10278	3000	1,42 kg/m	-		100 kg
0600	SBLR015	Blank rond h9 15 mm	C45+C/SH EN10277-2/EN10278	6000	1,42 kg/m	-		100 kg
0600	SBLR016	Blank rond h9 16 mm	11SMn30+C/SH EN10277-3/EN10278	3000	1,61 kg/m	-		100 kg
0600	SBLR016	Blank rond h9 16 mm	42CrMo4+QT+SH EN10083/EN10060	6000	1,61 kg/m	-		100 kg
0600	SBLR016	Blank rond h9 16 mm	C45+C/SH EN10277-2/EN10278	6000	1,61 kg/m	-		100 kg
0600	SBLR017	Blank rond h9 17 mm	C45+C/SH EN10277-2/EN10278	6000	1,81 kg/m	-		100 kg
0600	SBLR018	Blank rond h9 18 mm	11SMn30+C/SH EN10277-3/EN10278	3000	2,04 kg/m	-		100 kg
0600	SBLR018	Blank rond h9 18 mm	42CrMo4+QT+SH EN10083/EN10060	6000	2,04 kg/m	-		100 kg
0600	SBLR018	Blank rond h9 18 mm	C45+C/SH EN10277-2/EN10278	6000	2,04 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	SBLR019	Blank rond h9 19 mm	11SMn30+C/SH EN10277-3/EN10278	3000	2,27 kg/m	-		100 kg
0600	SBLR019	Blank rond h9 19 mm	C45+C/SH EN10277-2/EN10278	6000	2,27 kg/m	-		100 kg
0600	SBLR020	Blank rond h9 20 mm	11SMn30+C/SH EN10277-3/EN10278	3000	2,52 kg/m	-		100 kg
0600	SBLR020	Blank rond h9 20 mm	42CrMo4+QT+SH EN10083/EN10060	6000	2,52 kg/m	-		100 kg
0600	SBLR020	Blank rond h9 20 mm	C45+C/SH EN10277-2/EN10278	6000	2,52 kg/m	-		100 kg
0600	SBLR022	Blank rond h9 22 mm	11SMn30+C/SH EN10277-3/EN10278	3000	3,04 kg/m	-		100 kg
0600	SBLR022	Blank rond h9 22 mm	C45+C/SH EN10277-2/EN10278	6000	3,04 kg/m	-		100 kg
0600	SBLR025	Blank rond h9 25 mm	11SMn30+C/SH EN10277-3/EN10278	3000	3,93 kg/m	-		100 kg
0600	SBLR025	Blank rond h9 25 mm	42CrMo4+QT+SH EN10083/EN10060	6000	3,93 kg/m	-		100 kg
0600	SBLR025	Blank rond h9 25 mm	C45+C/SH EN10277-2/EN10278	6000	3,93 kg/m	-		100 kg
0600	SBLR028	Blank rond h9 28 mm	11SMn30+C/SH EN10277-3/EN10278	3000	4,92 kg/m	-		100 kg
0600	SBLR028	Blank rond h9 28 mm	C45+C/SH EN10277-2/EN10278	6000	4,92 kg/m	-		100 kg
0600	SBLR030	Blank rond h9 30 mm	11SMn30+C/SH EN10277-3/EN10278	3000	5,65 kg/m	-		100 kg
0600	SBLR030	Blank rond h9 30 mm	42CrMo4+QT+SH EN10083/EN10060	6000	5,65 kg/m	-		100 kg
0600	SBLR030	Blank rond h9 30 mm	C45+C/SH EN10277-2/EN10278	6000	5,65 kg/m	-		100 kg
0600	SBLR032	Blank rond h9 32 mm	11SMn30+C/SH EN10277-3/EN10278	3000	6,43 kg/m	-		100 kg
0600	SBLR032	Blank rond h9 32 mm	C45+C/SH EN10277-2/EN10278	6000	6,43 kg/m	-		100 kg
0600	SBLR035	Blank rond h9 35 mm	11SMn30+C/SH EN10277-3/EN10278	3000	7,69 kg/m	-		100 kg
0600	SBLR035	Blank rond h9 35 mm	42CrMo4+QT+SH EN10083/EN10060	6000	7,69 kg/m	-		100 kg
0600	SBLR035	Blank rond h9 35 mm	C45+C/SH EN10277-2/EN10278	6000	7,69 kg/m	-		100 kg
0600	SBLR038	Blank rond h9 38 mm	11SMn30+C/SH EN10277-3/EN10278	3000	9,07 kg/m	-		100 kg
0600	SBLR038	Blank rond h9 38 mm	C45+C/SH EN10277-2/EN10278	6000	9,07 kg/m	-		100 kg
0600	SBLR040	Blank rond h9 40 mm	11SMn30+C/SH EN10277-3/EN10278	3000	10,05 kg/m	-		100 kg
0600	SBLR040	Blank rond h9 40 mm	42CrMo4+QT+SH EN10083/EN10060	6000	10,05 kg/m	-		100 kg
0600	SBLR040	Blank rond h9 40 mm	C45+C/SH EN10277-2/EN10278	6000	10,05 kg/m	-		100 kg
0600	SBLR045	Blank rond h9 45 mm	11SMn30+C/SH EN10277-3/EN10278	3000	12,72 kg/m	-		100 kg
0600	SBLR045	Blank rond h9 45 mm	42CrMo4+QT+SH EN10083/EN10060	6000	12,72 kg/m	-		100 kg
0600	SBLR045	Blank rond h9 45 mm	C45+C/SH EN10277-2/EN10278	6000	12,72 kg/m	-		100 kg
0600	SBLR050	Blank rond h9 50 mm	11SMn30+C/SH EN10277-3/EN10278	3000	15,69 kg/m	-		100 kg
0600	SBLR050	Blank rond h9 50 mm	42CrMo4+QT+SH EN10083/EN10060	6000	15,69 kg/m	-		100 kg
0600	SBLR050	Blank rond h9 50 mm	C45+C/SH EN10277-2/EN10278	6000	15,69 kg/m	-		100 kg
0600	SBLR055	Blank rond h9 55 mm	11SMn30+C/SH EN10277-3/EN10278	3000	19,06 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	SBLR055	Blank rond h9 55 mm	C45+C/SH EN10277-2/EN10278	6000	19,06 kg/m	-		100 kg
0600	SBLR060	Blank rond h9 60 mm	11SMn30+C/SH EN10277-3/EN10278	3000	22,61 kg/m	-		100 kg
0600	SBLR060	Blank rond h9 60 mm	42CrMo4+QT+SH EN10083/EN10060	6000	22,61 kg/m	-		100 kg
0600	SBLR060	Blank rond h9 60 mm	C45+C/SH EN10277-2/EN10278	6000	22,61 kg/m	-		100 kg
0600	SBLR065	Blank rond h9 65 mm	11SMn30+C/SH EN10277-3/EN10278	3000	26,53 kg/m	-		100 kg
0600	SBLR065	Blank rond h9 65 mm	C45+C/SH EN10277-2/EN10278	6000	26,53 kg/m	-		100 kg
0600	SBLR070	Blank rond h9 70 mm	11SMn30+C/SH EN10277-3/EN10278	3000	30,77 kg/m	-		100 kg
0600	SBLR070	Blank rond h9 70 mm	42CrMo4+QT+SH EN10083/EN10060	6000	30,77 kg/m	-		100 kg
0600	SBLR070	Blank rond h9 70 mm	C45+C/SH EN10277-2/EN10278	6000	30,77 kg/m	-		100 kg
0600	SBLR075	Blank rond h9 75 mm	11SMn30+C/SH EN10277-3/EN10278	3000	35,33 kg/m	-		100 kg
0600	SBLR075	Blank rond h9 75 mm	C45+C/SH EN10277-2/EN10278	6000	35,33 kg/m	-		100 kg
0600	SBLR080	Blank rond h9 80 mm	11SMn30+C/SH EN10277-3/EN10278	3000	40,19 kg/m	-		100 kg
0600	SBLR080	Blank rond h9 80 mm	42CrMo4+QT+SH EN10083/EN10060	6000	40,19 kg/m	-		100 kg
0600	SBLR080	Blank rond h9 80 mm	C45+C/SH EN10277-2/EN10278	6000	40,19 kg/m	-		100 kg
0600	SBLR090	Blank rond h9 90 mm	11SMn30+C/SH EN10277-3/EN10278	3000	50,85 kg/m	-		100 kg
0600	SBLR090	Blank rond h9 90 mm	42CrMo4+QT+SH EN10083/EN10060	6000	50,85 kg/m	-		100 kg
0600	SBLR090	Blank rond h9 90 mm	C45+C/SH EN10277-2/EN10278	6000	50,85 kg/m	-		100 kg
0600	SBLR095	Blank rond h9 95 mm	C45+C/SH EN10277-2/EN10278	6000	55,64 kg/m	-		100 kg
0600	SBLR100	Blank rond h9 100 mm	11SMn30+C/SH EN10277-3/EN10278	3000	62,87 kg/m	-		100 kg
0600	SBLR100	Blank rond h9 100 mm	42CrMo4+QT+SH EN10083/EN10060	6000	62,87 kg/m	-		100 kg
0600	SBLR100	Blank rond h9 100 mm	C45+C/SH EN10277-2/EN10278	6000	62,87 kg/m	-		100 kg
0600	SBLR110	Blank rond h9 110 mm	11SMn30+C/SH EN10277-3/EN10278	3000	76,02 kg/m	-		100 kg
0600	SBLR110	Blank rond h9 110 mm	C45+C/SH EN10277-2/EN10278	6000	76,02 kg/m	-		100 kg
0600	SBLR120	Blank rond h9 120mm	11SMn30+C/SH EN10277-3/EN10278	3000	90,43 kg/m	-		100 kg
0600	SBLR120	Blank rond h9 120mm	C45+C/SH EN10277-2/EN10278	6000	90,43 kg/m	-		100 kg
0600	SBLR130	Blank rond h9 130 mm	11SMn30+C/SH EN10277-3/EN10278	3000	104 kg/m	-		100 kg
0600	SBLR130	Blank rond h9 130 mm	C45+C/SH EN10277-2/EN10278	6000	104 kg/m	-		100 kg
0600	SBLR150	Blank rond h9 150 mm	11SMn30+C/SH EN10277-3/EN10278	3000	141,3 kg/m	-		100 kg
0600	SBLR150	Blank rond h9 150 mm	C45+C/SH EN10277-2/EN10278	6000	141,3 kg/m	-		100 kg
0600	SBLR180	Blank rond h9 180 mm	11SMn30+C/SH EN10277-3/EN10278	3000	200 kg/m	-		100 kg
0600	SBLV008	Blank Vierkant h11 8 mm	C45+C EN10277-2/EN10278	3000	0,51 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	SBLV012	Blank Vierkant h11 12 mm	11SMn30+C EN10277-3/EN10278	3000	1,15 kg/m	-		100 kg
0600	SBLV015	Blank vierkant h11 15 mm	11SMn30+C EN10277-3/EN10278	3000	1,8 kg/m	-		100 kg
0600	SBLV020	Blank vierkant h11 20 mm	C45+C EN10277-2/EN10278	3000	3,2 kg/m	-		100 kg
0600	SBLV025	Blank vierkant h11 25 mm	11SMn30+C EN10277-3/EN10278	3000	5 kg/m	-		100 kg
0600	SBLV025	Blank vierkant h11 25 mm	C45+C EN10277-2/EN10278	3000	5 kg/m	-		100 kg
0600	SBLV032	Blank vierkant h11 32 mm	C45+C EN10277-2/EN10278	3000	8,19 kg/m	-		100 kg
0600	SBLV040	Blank vierkant h11 40 mm	C45+C EN10277-2/EN10278	3000	12,8 kg/m	-		100 kg
0600	SBLV045	Blank vierkant h11 45 mm	11SMn30+C EN10277-3/EN10278	3000	16,2 kg/m	-		100 kg
0600	SBLV050	Blank vierkant h11 50 mm	11SMn30+C EN10277-3/EN10278	3000	20 kg/m	-		100 kg
0600	SBLV060	Blank Vierkant h11 60 mm	11SMn30+C EN10277-3/EN10278	3000	28,84 kg/m	-		100 kg
0600	SBLV100	Blank vierkant h11 100 mm	11SMn30+C EN10277-3/EN10278	3000	80 kg/m	-		100 kg
								-
0600	SBLZ008	Blank Zeskant h11 8 mm	11SMn30+C EN10277-3/EN10278	3000	0,44 kg/m	-		100 kg
0600	SBLZ010	Blank Zeskant h11 10 mm	11SMn30+C EN10277-3/EN10278	3000	0,68 kg/m	-		100 kg
0600	SBLZ011	Blank Zeskant h11 11 mm	11SMn30+C EN10277-3/EN10278	3000	0,84 kg/m	-		100 kg
0600	SBLZ012	Blank Zeskant h11 12 mm	11SMn30+C EN10277-3/EN10278	3000	0,98 kg/m	-		100 kg
0600	SBLZ013	Blank zeskant h11 13 mm	11SMn30+C EN10277-3/EN10278	3000	1,18 kg/m	-		100 kg
0600	SBLZ014	Blank Zeskant h11 14 mm	11SMn30+C EN10277-3/EN10278	3000	1,36 kg/m	-		100 kg
0600	SBLZ017	Blank Zeskant h11 17 mm	11SMn30+C EN10277-3/EN10278	3000	2 kg/m	-		100 kg
0600	SBLZ019	Blank zeskant h11 19 mm	11SMn30+C EN10277-3/EN10278	3000	2,5 kg/m	-		100 kg
0600	SBLZ019	Blank zeskant h11 19 mm	C45+C EN10277-2/EN10278	3000	2,5 kg/m	-		100 kg
0600	SBLZ022	Blank zeskant h11 22 mm	11SMn30+C EN10277-3/EN10278	3000	3,29 kg/m	-		100 kg
0600	SBLZ024	Blank zeskant h11 24 mm	11SMn30+C EN10277-3/EN10278	3000	3,92 kg/m	-		100 kg
0600	SBLZ027	Blank zeskant h11 27 mm	11SMn30+C EN10277-3/EN10278	3000	5,05 kg/m	-		100 kg
0600	SBLZ030	Blank Zeskant h11 30 mm	11SMn30+C EN10277-3/EN10278	3000	6,12 kg/m	-		100 kg
0600	SBLZ030	Blank Zeskant h11 30 mm	C45+C EN10277-2/EN10278	3000	6,12 kg/m	-		100 kg
0600	SBLZ032	Blank zeskant h11 32 mm	11SMn30+C EN10277-3/EN10278	3000	7,09 kg/m	-		100 kg
0600	SBLZ032	Blank zeskant h11 32 mm	C45+C EN10277-2/EN10278	3000	7,09 kg/m	-		100 kg
0600	SBLZ032	Blank zeskant h11 32 mm	C45+C EN10277-2/EN10278	6000	7,09 kg/m	-		100 kg
0600	SBLZ036	Blank zeskant h11 36 mm	11SMn30+C EN10277-3/EN10278	3000	8,98 kg/m	-		100 kg
0600	SBLZ036	Blank zeskant h11 36 mm	C45+C EN10277-2/EN10278	3000	8,98 kg/m	-		100 kg
0600	SBLZ041	Blank zeskant h11 41 mm	11SMn30+C EN10277-3/EN10278	3000	11,6 kg/m	-		100 kg

Groep	Profiel code	Omschrijving	Kwaliteit extern	Lengte	Gewicht	Enh. Gew	Prijs	Eenheid
0600	SBLZ046	Blank zeskant h11 46 mm	11SMn30+C EN10277-3/EN10278	3000	14,7 kg/m	-		100 kg
0600	SBLZ050	Blank zeskant h11 50 mm	11SMn30+C EN10277-3/EN10278	3000	17 kg/m	-		100 kg
0600	SBLZ060	Blank zeskant h11 60 mm	11SMn30+C EN10277-3/EN10278	3000	25 kg/m	-		100 kg
0600	SBLZ065	Blank zeskant h11 65 mm	11SMn30+C EN10277-3/EN10278	3000	29,27 kg/m	-		100 kg
								-
0600	SCGA008	Centerloos Geslepen As h6 8 mm	C45+C+SL EN10277-2/EN10278	3000	0,4 kg/m	-		100 kg
0600	SCGA010	Centerloos Geslepen As h6 10 mm	C45+C+SL EN10277-2/EN10278	3000	0,62 kg/m	-		100 kg
0600	SCGA010	Centerloos Geslepen As h6 10 mm	C45+C+SL EN10277-2/EN10278	6000	0,62 kg/m	-		100 kg
0600	SCGA012	Centerloos Geslepen As h6 12 mm	C45+C+SL EN10277-2/EN10278	6000	0,91 kg/m	-		100 kg
0600	SCGA014	Centerloos Geslepen As h6 14 mm	C45+C+SL EN10277-2/EN10278	3000	1,21 kg/m	-		100 kg
0600	SCGA015	Centerloos Geslepen As h6 15 mm	C45+C+SL EN10277-2/EN10278	6000	1,39 kg/m	-		100 kg
0600	SCGA016	Centerloos Geslepen As h6 16 mm	C45+C+SL EN10277-2/EN10278	6000	1,58 kg/m	-		100 kg
0600	SCGA017	Centerloos Geslepen As h6 17 mm	C45+C+SL EN10277-2/EN10278	6000	1,81 kg/m	-		100 kg
0600	SCGA018	Centerloos Geslepen As h6 18 mm	C45+C+SL EN10277-2/EN10278	6000	2 kg/m	-		100 kg
0600	SCGA020	Centerloos Geslepen As h6 20 mm	20MnV6+SH+SL EN10278	6000	2,47 kg/m	-		100 kg
0600	SCGA020	Centerloos Geslepen As h6 20 mm	C45+C+SL EN10277-2/EN10278	6000	2,47 kg/m	-		100 kg
0600	SCGA025	Centerloos Geslepen As h6 25 mm	20MnV6+SH+SL EN10278	6000	3,85 kg/m	-		100 kg
0600	SCGA025	Centerloos Geslepen As h6 25 mm	C45+C+SL EN10277-2/EN10278	6000	3,85 kg/m	-		100 kg
0600	SCGA030	Centerloos Geslepen As h6 30 mm	20MnV6+SH+SL EN10278	6000	5,55 kg/m	-		100 kg
0600	SCGA030	Centerloos Geslepen As h6 30 mm	C45+C+SL EN10277-2/EN10278	6000	5,55 kg/m	-		100 kg
0600	SCGA035	Centerloos Geslepen As h6 35 mm	20MnV6+SH+SL EN10278	6000	7,55 kg/m	-		100 kg
0600	SCGA040	Centerloos Geslepen As h6 40 mm	20MnV6+SH+SL EN10278	6000	9,86 kg/m	-		100 kg
0600	SCGA045	Centerloos Geslepen As h6 45 mm	20MnV6+SH+SL EN10278	6000	12,48 kg/m	-		100 kg
0600	SCGA050	Centerloos Geslepen As h6 50 mm	20MnV6+SH+SL EN10278	6000	15,41 kg/m	-		100 kg
0600	SCGA050	Centerloos Geslepen As h6 50 mm	C45+C+SL EN10277-2/EN10278	6000	15,41 kg/m	-		100 kg
0600	SCGA060	Centerloos Geslepen As h6 60 mm	20MnV6+SH+SL EN10278	6000	22,19 kg/m	-		100 kg
0600	SCGA070	Centerloos Geslepen As h6 70 mm	20MnV6+SH+SL EN10278	6000	30,21 kg/m	-		100 kg
0600	SCGA075	Centerloos Geslepen As h6 75 mm	C45+C+SL EN10277-2/EN10278	6000	34,68 kg/m	-		100 kg
0600	SCGA080	Centerloos Geslepen As h6 80 mm	20MnV6+SH+SL EN10278	6000	39,46 kg/m	-		100 kg
0600	SCGA090	Centerloos Geslepen As h6 90 mm	20MnV6+SH+SL EN10278	6000	49,94 kg/m	-		100 kg
0600	SCGA100	Centerloos Geslepen As h6 100 mm	20MnV6+SH+SL EN10278	6000	61,65 kg/m	-		100 kg